

	Application No.	Applicant(s)
Notice of Allowability	10/786,719	YADA ET AL.
	Examiner	Art Unit
	Ankit P. Gandhi	2616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-10</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	' '
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413), te
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amend	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statement	ent of Reasons for Allowance
or Biological Waterial	9. 🗌 Other	
	•	
		_

Art Unit: 2616

DETAILED ACTION

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: Even though, the prior art reference(s) Suzuki et. al., (Pub. No.: US 2001/0019536) teaches Packet transmission equipment with failure detecting unit in view of Mishra, (Patent No.: US 6,339,587) further comprising Path store unit with method of path availability check.

However, both prior art fails to teach, a single network monitoring and controlling device which perform functionality such as generate path topology table, generate quality information of a channel, perform path error detection, and path finding functionality based upon error detection, which further includes devices such as:

- a path information storing unit for path information on an entrance point and exit point,
- a quality deterioration detecting unit, which makes deterioration determination of path(s) based upon collected quality information on an entrance point and exit point via a path via point searching unit,
- a path via point information collection unit, which collects quality information of a channel, based upon information associated with a path via point searching unit,
- and, a quality deterioration point identifying unit for determining, whether or not a
 deteriorated path via point is present based upon the quality information of the
 path.

Application/Control Number: 10/786,719

Art Unit: 2616

This taken with all other limitation is considered novel and non-obvious.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ankit P. Gandhi whose telephone number is 571-270-3009. The examiner can normally be reached on Monday-Friday - 9:00 to 5:00 (Altern: Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Ngo can be reached on 571-272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/786,719

Art Unit: 2616

APG

RICKY Q. NGO RICKY Q. NGO RICKY PATENT EXAMINER Page 4

8/15/07